Doosan Robotics Teach Pendant Soft Cover

Product Specifications

Dimensions	280 (W) × 225 (D) × 125 (H) mm
Weight	305 g
Color	Navy
Material	Silicon


Caution

- There is a chance that the emergency stop button will be pressed during teach pendant installation, so make sure all movements of the robot are stopped before installation.
- Make sure that the emergency stop button and the power button of the robot are not pressed during robot operation due to incorrect installation of the product.



Teach Pendant Soft Cover Components





1. Teach Pendant Soft Cover

Teach Pendant Soft Cover Installation Guide

1. Teach Pendant Soft Cover Installation

1.1 Insert the teach pendant into the bottom of the teach pendant soft cover.




♠ There is a chance that the emergency stop button wi Il be pressed, so make sure all movements of the ro bot are stopped before installation.

 ${\bf 1.2}$ Place the teach pendant cable connector in the cutout for the teach pendant cable.




1.3 Push the teach pendant upwards so that the top of the teach pendant touches the top of the teach pendant soft cover.



1.4 Flip the teach pendant with the soft cover to face the backplate.



1.5 Extend the sides and bottom of the teach pendant soft cover to allow the teach pendant to be positioned completely inside the teach p endant soft cover.



- · Product life may vary depending on a number of factors including damage and wear caused by use, and Doosan Robotics does not assume responsibility for this.
- \cdot The user must verify the applicability of the product prior to fully operating the product.
- $\cdot \ \mathsf{Doosan} \ \mathsf{Robotics} \ \mathsf{does} \ \mathsf{not} \ \mathsf{assume} \ \mathsf{responsibility} \ \mathsf{for} \ \mathsf{damage} \ \mathsf{due} \ \mathsf{to} \ \mathsf{unintended} \ \mathsf{operation} \ \mathsf{or} \ \mathsf{unforeseen} \ \mathsf{accidents}.$